

Date:

From

Thomas Varghese
Pulimpallil,
Niranam P.O.,
Thiruvalla,
Pathanamthitta,
Kerala

To

MoEF Regional Office, Sothern Zone,
Kendriya Sadan, 4th Floor, E & F Wing, II Block,
Koramangala, Bangalore – 560 034

Respected Sir/Madam,


Sub: Submission of Half yearly compliance report in respect of Granite Building stone Quarry project of Thomas Varghese for an area of 0.8970 Ha at Block No. 28 Survey Nos. 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1 in Mallappally Village, Mallappally Taluk, Pathanamthitta.

Ref: Environmental Clearance issued vide letter No. 13/Q/2025 dated 19-02-2025.

With respect to above subject, we are herewith submitting the detailed half yearly Compliance Report for the period from October 2025 to March 2026 to all the conditions stipulated in the Environmental Clearance (EC) issued vide reference cited above.

Thanking you

Yours faithfully



Thomas Varghese

Copy to:

*The Member Secretary, State Level Environment Impact Assessment Authority,
4th floor, KSRTC terminal complex, Thiruvananthapuram – 695 014*

HALF YEARLY COMPLIANCE REPORT FOR GRANITE BUILDING STONE QUARRY PROJECT OF Thomas Varghese

RE-SURVEY NOS : 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1

EXTENT : 0.8970 Ha

VILLAGE : MALLAPPALLY

TALUK : MALLAPPALLY

DISTRICT : PATHANAMTHITTA

STATE : KERALA

ENVIRONMENTAL CLEARANCE

(FILE NO: 2161/EC1/2022/SEIAA, DATED: 19-02-2025)

ENVIRONMENTAL CLEARANCE NO. 13/Q/2025

HALF YEARLY COMPLIANCE REPORT

FOR THE PERIOD FROM OCTOBER 2025 TO MARCH 2026

TABLE OF CONTENTS

Item number	DESCRIPTION	Page number
I	About the proponent	4
II	About the project	4
	Project category	4
	Project location	4
	Project extent and activity	4
	Project description	4
III	Report of compliance	5
	Compliance of specific condition	5-11
	Compliance of general condition	12-27
IV	ANNEXURES	
	Annexure -1 Notarized Affidavit	28
	Annexure -2 E C	33
	Annexure -3 EMC	49
	Annexure – 4 Panchayath Certificate	51
	Annexure -5 Pollution Certificate	52
	Annexure -6: Explosive License	57
	Annexure -7: Mines Certificate	62
	Annexure -8 Lab Report	66

LIST OF FIGURES

Figure 1:Photograph of Compensatory afforestation	7
Figure 2: Photograph of blasting mats used	9
Figure 3: Photographs of CCTV cameras installed	11
Figure 4:Photographs of signboards in the permit area	14
Figure 5:Photograph showing details of the environmental clearance displayed in a metallic board.....	15
Figure 6:Photograph showing the magazines	16
Figure 7: Photographs of garland drains and silt traps under construction	21
Figure 8:Photograph showing water tankers for dust suppression.	24

I. ABOUT THE PROPONENT

Sri.Thomas Varghese residing at Pulimpallil, Niranam P.O., Thiruvalla, Pathanamthitta, Kerala is operating a Granite Building Stone Quarry over an area of 0.8970 Ha at Block No. 28, Survey Nos. 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1 in Mallappally Village, Mallappally Taluk, Pathanamthitta.

State Environment Impact Assessment Authority (SEIAA) Kerala has accorded Environmental Clearance vide no: 13/Q/2025 dated 19-02-2025 for the said project.

II. ABOUT THE PROJECT

➤ Project Category:

The project comes under the Category B2, Activity1(a), (i) of Schedule of EIA Notification 2006 and subsequent amendments.

➤ Project Location:

Block No. 28, Survey Nos.: 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1 of MallappallyVillage, Mallappally Taluk, Pathanamthitta.

The proposed project site falls within latitude and longitude value:

Latitude (N)	9°25'24.05" N to 9°25'22.82" N
Longitude (E)	76°41'15.25" E to 76°41'14.41" E

➤ Project Extent and Activity:

The project is for quarrying of 58,750 MT/annum of building stone from an area of 0.8970 hectares.

➤ Project Description:

Sri. Thomas Varghese has obtained Environmental Clearance by SEIAA for three years and the validity expires on 18-02-2029. The proposed Granite (Building Stone) quarry over an area of 0.8970hectares is located in Mallappally Village, Mallappally Taluk, Pathanamthitta District, Kerala. The proponent has obtained approval for a mining plan to produce 58,750 MT per annum. And the total project cost for the project is Rs. 1,65,65,127 .

III. REPORT OF COMPLIANCE

A. SPECIFIC CONDITIONS

ITEM NO	STIPULATIONS IN EC	STATUS OF COMPLIANCE
S-1	The Project Proponent shall carry out quarrying as per the approved Mining Plan and as per the Specific Conditions mentioned hereafter. The Project Proponent should strictly follow the Kerala Minor Mineral Concession Rules, 2015 and amendments thereby.	Quarrying is carrying out as per the approved Mining Plan and specific conditions stipulated herein, and is strictly complying with the Kerala Minor Mineral Concession Rules, 2015 and its amendments.
S-2	The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the permit / lease order should be provided to the SEIAA before commencing the mining activity.	The required mining permit has been obtained, and a copy of the permit order has been submitted to SEIAA prior to commencement of mining activities.
S-3	The depth of mining should be limited to 55m above MSL to confining the mining to the slope and prevent the formation of mine pit to avoid breach of water storage to the residential area. The mineable resources shall be reworked accordingly by the Mining and Geology Department while approving the Scheme of Mining / issuing the lease or permit.	The mining depth has been limited to 55 m above MSL, and the same has been duly approved by the District Office, Department of Mining and Geology. The mineable resources have been reworked accordingly.
S-4	The protective wall of 5m height between BP-7 and BP-8 should be developed prior to the commencement of mining activities.	Scrupulously follows the Directions contained.
S-5	The Mining and Geology Department shall issue permit / lease only after the production of the NOC from the Irrigation Officer in compliance with Section 40(2) of the Kerala Irrigation and Water Conservation Act, 2003. The project proponent shall scrupulously follow all the conditions in the NOC.	Scrupulously follows the directions contained.

	Project proponent shall submit copy of the NOC with 1st HYCR.	
S-6	A temporary wall of 5m height should be erected at the boundary where houses are located to avoid disturbance and nuisance to the nearby residents.	Scrupulously follows the Directions contained.
S-7	Development of green belt should be initiated prior to the commencement of mining using indigenous species. The suggested species are Phyllanthus emblica (Nelli), Syzygium cumini (Njaval), Writia tinctoria (Dhanthapala), Ficus bengalensis (Peral), Ficus racemosa (Atti), Bambusa bamboos (Mullumula), Dendrocalamus strictus (Kallan mula), Strychnos nuxvomica (Kanjiram), Terminalia cattappa (Thanni), Schleicheria oleosa (Poovam), Artocarpus hirsutus (Ayiniplavu) etc.	The greenbelt has been developed in the proposed areas using native fruit-bearing trees.
S-8	Compensatory afforestation should be done prior to the commencement of mining, by planting local species of trees as proposed.	Local/native species have been planted as part of compensatory afforestation in the earmarked areas.
S-9	Geotagged photographs of the progress of compensatory afforestation should be submitted along with HYCR.	The Geo-tagged photograph of the compensatory afforestation is attached herewith.




Figure 1: Photograph of Compensatory afforestation

S-10	Adequate number of avenue trees of indigenous species should be planted along both sides of the haulage road.	Avenue trees has been planted on sides of haulage road.
S-11	The haulage road should be provided with sprinkling facility to prevent dust pollution.	Scrupulously follows the Directions contained.
S-12	Drainage system incorporating garland canal, silt traps, siltation pond and outflow channel connecting to a natural drain should be provided prior to the commencement of mining.	The drainage system, including the garland canal, silt traps, siltation pond and outflow channel connecting to the natural drain, is under construction and will be completed shortly, with photographic evidence of the completed works submitted along with the next HYCR.
S-13	Garland drain, silt-traps, siltation ponds and outflow channels should be desilted periodically and geo-tagged photographs of the process should be included in the Half-Yearly Compliance Report (HYCR).	Garland drains, silt traps, siltation ponds and outflow channels shall be periodically desilted, with geo-tagged photographs included in the HYCR. These measures shall be implemented after completion of the ongoing construction works.

S-14	Overflow water from the siltation pond should be discharged to the nearby natural drain after adequate filtration.	Water collected through the garland drains shall be conveyed to a settling pit, where suspended sediments will be allowed to settle. The clarified water shall then be discharged into the natural drain only after adequate settling.
S-15	Drainage water should be monitored at different seasons by an NABL accredited lab and clear water should only be discharged into the natural stream. Geotagged photographs of the drainage and sampling site should be submitted along with HYCR.	Drainage water is monitored during different seasons through an NABL-accredited laboratory, and only clarified water is discharged into the natural stream. The monitoring reports are attached as an annexure 7.
S-16	Overburden should be stored at the designed place and gabion wall should be provided for the topsoil and overburden storage sites.	Overburden is stored at the designated site, and gabion walls are provided around the topsoil and overburden storage areas.
S-17	The impact of vibration due to blasting on the houses and other built structures within 200m distance from the project boundary should be monitored in terms of Peak Particle Velocity and amplitude for maximum charge per delay and included in the Half Yearly Compliance Report.	Scrupulously follows the directions contained.
S-18	Implementation of CER Plan should be done during the first two years of the EC period itself and its operation and maintenance should be done till the completion of mine closure plan.	CER activities have been initiated, and water supply has been provided to local residents.
S-19	Transportation of mined material should not be done during the peak hours in the forenoon (8.00am to 10.00am) and afternoon (3.30pm to 5.00 pm).	Transportation of mined material is carried out avoiding peak hours, i.e., 8:00 AM to 10:00 AM and 3:30 PM to 5:00 PM.
S-20	Adequate sanitation, waste management and restroom facilities should be provided to the workers.	Adequate sanitation, waste management, and restroom facilities are provided for the workers.

S-21	Adequate energy conservation measures should be implemented including solar power installations. At least 40% of the energy requirement shall be met from the solar power.	Adequate energy conservation measures, including solar power installations, have been implemented.
S-22	The Environment Management Cell (EMC) should include one subject expert in environment management and the ward member of the panchayat. The proceedings of the monthly meeting of the EMC should be submitted along with the HYCR.	The Environment Management Cell (EMC), including a subject expert, is functioning effectively, and the details of the EMC are attached as an annexure 3.
S-23	Adequate measures should be adopted to harvest the rainwater as per the guidelines issued by the Central Groundwater Authority	Proper rainwater harvesting is carried out on site.
S-24	Blasting mats should be used during rock blasting to contain the blast, prevent fly rocks and suppress dust	Blasting mats are used during rock blasting operations to control fly-rock generation and suppress dust dispersion.
	 Figure 2: Photograph of blasting mats used	
S-25	In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the	Only NONEL (Non-Electrical) technology is used for blasting to minimize ground vibration and reduce the risk of landslides, structural cracks, and disturbance to humans and wildlife.

	vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife	
S-26	As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the Project Proponent should implement the Environment Management Plan (EMP)/CER as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, from the beginning of the project, indicating both physical and financial targets year wise. The EMP/CER shall be implemented in consultation with Local Self Govt. Institutions. A copy of the approved EMP/CER shall be made available to the concerned Panchayat for information and implementation support. The indicated cost for implementation of CER activities shall be 2% of the project cost	Scrupulously follows the directions contained.
S-27	As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16th January 2020 issued by MoEF&CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals	Scrupulously follows the directions contained.

S-28	The Project Proponent is directed to install a CCTV camera and take all other essential measures to ensure that mining site is not used by antisocial elements for nefarious antisocial activities which are detrimental for peaceful coexistence in the project region. In case if such complaints are received, the EC given is likely to be cancelled after a police verification.	CCTV cameras have been installed at the mining site to ensure continuous surveillance and prevent unauthorized or antisocial activities.
	 Figure 3: Photographs of CCTV cameras installed	
S-29	The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986	The directions mentioned above are duly noted, and necessary precautions will be taken to ensure strict compliance with all EC conditions and prevent any violations that may lead to cancellation of the EC.

B.GENERAL CONDITIONS

ITEM NO	STIPULATIONS IN EC	STATUS OF COMPLIANCE
G-1	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	The proponent has provided notarized affidavit and attached as Annexure 1.
G-2	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives. Copies of all statutory clearances shall be submitted along with First Half Yearly Compliance Report.	All statutory clearances required for the quarrying operations have been obtained. Copies of the same are submitted along with the Half-Yearly Compliance Report.
G-3	The project proponent should advertise in newspapers that the project has been accorded Environmental Clearance and copies of clearance letters are available in the Office of State Environment Impact Assessment Authority (SEIAA) and on the website of the Authority at www.seiaakerala.in . The advertisement should be in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language. The advertisement should be made within 10 days from the date of receipt of the Environmental Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	Advertisement was published in Malayalam (Mangalam) and English (The Hindhu) local newspapers. The same is attached as annexure 7.

G-4	The proponent shall send a copy of the EC to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The Environmental Clearance shall also be uploaded on the website of the company.	A copy of the Environmental Clearance (EC) has been submitted to the concerned Local Self-Government Institution. The Panchayat Licence has been issued by Mallappally Grama Panchayat, and a copy of the same is attached as an Annexure 4. The details of EC have uploaded in the company website. https://thomasvarghesequarry.com/
G-5	The lease area shall be fenced with barbed wire to a minimum height of 4ft around, before starting mining. All the boundary indicators (boards, markings, etc) shall be conspicuous and maintained at all times.	Scrupulously follows the directions contained.
		



Figure 4: Photographs of signboards in the permit area

G-6	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	The conditions of Environmental Clearance are prominently displayed in a metallic board.
-----	---	---




Figure 5: Photograph showing details of the environmental clearance displayed in a metallic board

G-7	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department. Mats to reduce fly rock blasts to a maximum of 10 PPV should be provided.	Explosives are stored in licensed magazines located at an isolated and secure location. A copy of the Explosives License is attached as Annexure 6.
-----	---	---



Figure 6: Photograph showing the magazines

G-8	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged stipulated by Explosive Department.	Warning alarms have been installed at the project site, and signboards indicating the blasting timings have been provided.
G-9	Access roads to the quarry shall be black topped to contain dust emissions that may arise during transportation of materials. The transportation of minerals should be done in covered trucks to contain dust emissions.	The access road to the quarry is blacktopped to minimize dust emissions during the transportation of materials. In addition, it is ensured that all trucks are properly covered during transportation to prevent dust dispersion.
G-10	A separate Environmental Management Cell (EMC) with suitable qualified personnel should be set-up under the chairmanship of a Senior Executive, who will report directly to the Head of the Organization. The Cell should have representative of Biodiversity Management Committee of the Panchayath and a representative of NGO, if any active in the area. The	A separate environmental management cell with suitable qualified personnel has been set-up under the control of a Senior Executive, who will report directly to the Head of the Organization. Details of EMC is attached as Annexure 3.

	EMC should meet at least once in six months and review the activities and minutes should be a part of the compliance report.	
G-11	Quarrying has to be carried out as per approved mining plan with the suggestions from SEAC incorporated and following KMMC rules 2015 and the amendments thereby.	Quarrying is carrying out as per the approved Mining Plan and specific conditions stipulated herein, and is strictly complying with the Kerala Minor Mineral Concession Rules, 2015 and its amendments.
G-12	The quarrying operation shall be restricted between 7 AM to 5 PM	Quarrying operations are strictly restricted between 7 AM to 5 PM.
G-13	Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Rainwater harvesting facility and solar energy generation is ensured in the project site.
G-14	Maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The Maximum depth of mining should not be deeper than the local ground water table. No mining operations should be carried out a place having a slope greater than 45°.	The mining depth has been restricted to 55 m above MSL, as duly approved by the District Office, Department of Mining and Geology. The mineable resources have been reworked accordingly. No mining operations will be carried out in areas having a slope greater than 45°.
G-15	The Height of any bench shall not exceed five meters and breadth shall not less than the height.	Height of the benches is maintained at 5x 5 m.
G-16	The Project proponent shall ensure that no perennial or intermittent natural water course and/or water resources are obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	No natural water course and/or water resources are obstructed due to any mining operations.
G-17	A minimum buffer distance specified as per existing rules and statutory orders shall be maintained from the	A minimum buffer distance of 50m is maintained from the quarry boundary.

	boundary of the quarry to the nearest dwelling unit or other structures, and from forest boundaries or any other ecologically sensitive and archeologically important areas or the specific distance specified by SEIAA in EC as per the recommendations of SEAC depending on specific local conditions.	
G-18	The proponent should plant seedlings at least 5 times of the loss of trees that has occurred while clearing the land for the project and follow planting measures as suggested by SEAC. Suitable avenue trees should be planted along the sides of the approach road and internal roads and open parking areas, if any. Preference should be given to endemic native and fruit bearing species. Planting in buffer areas should be taken up beforehand. Proper upkeep and maintenance of planted seedlings shall be ensured by the project proponent.	Plantation has been carried out as per SEAC directions, with suitable native, endemic and fruit-bearing species along the approach and internal roads, parking areas and buffer zones. Adequate maintenance and upkeep of the planted seedlings are ensured.
G-19	The Proponent should ensure that the vegetation in the buffer is retained, maintained and strengthened with additions of native broad-leaved plants.	The vegetation in the buffer area is well maintained.
G-20	Eco-restoration including the closure of mine as per the progressive closure plan and final closure plan shall be done at the cost of the project proponent. This eco-restoration should follow scientific standards available for restoration, full recovery of the original vegetation and improving the resilience of different ecosystems. Overburden materials should be managed within the site and used for reclamation of mined pit as per mine closure plan / specific conditions.	Eco-restoration and reclamation activities are being carried out as per the conditions, and overburden materials are being properly managed and utilized within the site for restoration purposes.

G-21	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with suitable indigenous plant species, if no other specific condition on reclamation of pit is stipulated in the E.C. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.	At the time of the closure of the mine, it shall be ensured that the directions contained are scrupulously followed.
G-22	Control measures on noise and vibration prescribed by KSPCB should be implemented. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.	Quarrying activities is limited as per KPSCB guidelines.
G-23	Periodical monitoring of the vibration at specified location (preferably at a distance of 50 m and 100 m) to be conducted and records kept for inspection. This could also form a part of the compliance reports.	Scrupulously follows the directions contained.
G-24	Speed of trucks entering or leaving the mine site is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.	The speed of trucks is restricted within the prescribed limits, and speed-limit signboards have been provided at the quarry premises. Drivers are also given proper awareness regarding safe driving practices.
G-25	Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standard limit indicated by CPCB/KSPCB.	A green belt has been provided to reduce noise propagation, and noise levels are maintained within the prescribed limits. Noise monitoring laboratory reports are attached along with the HYCR.
G-26	Blasting should be done in a controlled manner using NONEL technique as specified by the regulations of	NONEL technology is used for blasting. Licensed person is appointed

	Petroleum and explosive safety organization (GOI) or any other concerned authorized agency. A licensed person should supervise/control the blasting operations.	to supervise the blasting operations. Details is attached as Annexure 9.
G-27	Measures should be taken for maintaining noise levels below 85 dBA in the work environment.	Measures have been taken for the control of noise levels below 85DbA in the work environment such as green belt is provided and regular monitoring of noise is done and indicates all the values to be within stipulated norms. Lab report of noise is attached as annexure 9.
G-28	Project proponent should obtain necessary prior permission of the competent authorities for drawing requisite quantity of surface water and ground water for the project.	Scrupulously follows the directions contained.
G-29	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly compliance reports to SEIAA.	Regular monitoring reports indicated all the values to be within stipulated norms and are reported in the six-monthly reports to SEIAA.
G-30	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly in to the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, and for green belt development etc. The drains shall be regularly desilted and maintained properly, particularly after monsoon.	Catch drains and siltation ponds are under construction. Necessary measures for collection and reuse of collected water, along with regular desilting and maintenance of the drainage system, will be implemented upon completion of the construction works.



Figure 7: Photographs of garland drains and silt traps under construction

G-31	Regular monitoring of ground water level and quality shall be carried out around the mine area during mining operation. If any stage, if it is observed that ground water table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.	Regular monitoring of groundwater levels is being carried out in wells located around the mining area. Necessary precautions are being taken to ensure that mining activities do not adversely affect the groundwater table or cause its depletion.
G-32	Garland drains and silt traps are to be provided in the slopes around the core area to channelize storm water. Desilting of Garland canal and silt traps have to be attended on a daily basis. A labour has to be specifically assigned for the purpose. The proponent shall ensure the quality of the discharging storm water as per the General Effluent Discharge Standards of CPCB.	Garland drains and silt traps are under construction. Regular desilting and maintenance, along with stormwater quality monitoring as per CPCB standards, will be ensured upon completion.
G-33	In the case of any change(s) in the scope of the project, extent, quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which the E.C was issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority. In the case of transfer of ECs, the matter shall be intimated and get the approval	The directions are duly noted, and necessary measures will be undertaken as required.

	from the Authority as per the existing norms.	
G-34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Scrupulously follows the directions contained. Pollution Certificate is attached as Annexure-6.
G-35	The top soil, if any, shall be temporarily stored at earmarked place (s) and used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained at 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. At critical points, use of geo textile shall be undertaken for stabilization of the dump. Protective wall or gabions should be made around the dump to prevent erosion / flow of sediments during rains. The entire excavated area shall be backfilled.	Topsoil and overburden are stored separately at the earmarked locations for future use in land reclamation, backfilling and plantation. All the directions mentioned above will also be duly complied with.
G-36	All the mining equipment used in Mining like backhoe loaders and excavators cause pollution and hence shall be serviced regularly & maintained for their efficient functioning and for reducing pollution. Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.	All mining equipment, including backhoe loaders and excavators, are regularly serviced and maintained to ensure efficient functioning and minimize pollution. Spent oil is disposed of in accordance with the applicable rules and regulations.

G-37	All Vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking Centre. Washing of all Vehicles shall be inside the lease area.	All the vehicles being used in the Quarry are having PUC Certificate and wheel washing facility is being made inside the lease area.
G-38	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution such as haul road, loading and unloading points and transfer points and having high levels of PM10 and PM2.5. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board.	Adequate safeguard measures to reduce emission of high levels of PM10 and PM2.5 along haul road, loading and unloading points by regular water sprinkling and wetting of haul roads. Periodical monitoring of ambient air quality reports indicated all the values to be within stipulated norms. Lab report of air is attached as annexure 7.
G-39	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement at project site, parking area, on haul roads, loading and unloading and at transport points should be provided and properly maintained.	Water sprinklers are installed at regular intervals within the quarry premises. In addition, water sprinkling is regularly carried out on the haul roads through water tankers for dust suppression.




Figure 8: Photograph showing water tankers for dust suppression.

G-40	Corporate Environmental Responsibilities (CER) as prescribed by SEIAA/SEAC should be carried out leading to Environmental stability of the Project region. The activities carried out under CER should be a part of the half yearly compliance report. The certificates from the beneficiaries, if the CER part is completed should also be submitted to the State Environment Impact Assessment Authority (SEIAA) along with year wise expenditure	CER activities have been initiated, and water supply has been provided to local residents.
G-41	The project proponent is responsible for implementing all the provisions of labour laws applicable from time to time to quarrying /Mining operations. The workers on the site should be provided with on-site accommodation or facilities at a suitable boarding place, protective equipment such as ear muffs, helmet, etc.	All applicable labour laws are being complied with, and workers are provided with suitable accommodation and necessary personal protective equipment, including helmets and ear muffs.
G-42	The proponent has to provide insurance protection to the workers in the case of existing mining or provide the affidavit	Scrupulously follows the directions contained

	in case of fresh lease before execution of mining lease.	
G-43	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The report of health surveillance programme should be included in the half yearly compliance reports.	Periodic occupational health surveillance of workers is carried out in association with the nearest Primary Health Centre to monitor dust-related health effects and undertake corrective measures, if required.
G-44	The pits in the abandoned quarries and in the mined area shall be used for activities like water harvesting, aqua culture etc. in an eco friendly manner.	Scrupulously follows the directions contained
G-45	If Government land is partly or fully used for mining, the area shall be returned at the end of lease period after mine closure with separate demarcation with suitable survey marks.	No Government land is included for mining
G-46	Any accident occurring in the mined out area after the lease period due to negligence in carrying out safety measures and non-closure, will lead to suspension of all EC obtained for mining by the Proponent.	The directions are duly noted, and all necessary safety measures will be implemented to prevent accidents and other untoward incidents.
G-47	In case of transfer of EC, the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.	Aware of the directions contained.
G-48	The proponent shall submit Half Yearly Compliance Reports (1 st of June & 1 st of December) on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and	Half yearly reports are submitted as stipulated. EC and half year compliance reports are uploaded on company website https://thomasvarghesequarry.com/

	shall update the same periodically. It shall be simultaneously sent to the respective Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India and also to the Office of State Environment Impact Assessment Authority (SEIAA). The proponent has to submit Environmental statement in form V of Environment (Protection) Rules 1986 to SPCB on 31st March every year.	
G-49	The project authorities should extend full cooperation to the officer (s) from the Regional Office of MOEF & CC locate at Bangalore/SEAC/SPCB/CPCB/dept of Mining and Geology, while monitoring compliance of the stipulated conditions, by furnishing the requisite data/information/monitoring reports.	Scrupulously follows the directions contained
G-50	The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Aware of the condition.
G-51	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	All the safeguard measures are done as per Environment (Protection) Act, 1986.
G-52	The EC given will be withdrawn at any time if the area is declared high hazardous by the SDMA.	The directions are duly noted, and full cooperation with the concerned authorities will be ensured in the event of any such situation.

G-53	The Environmental Clearance will be subject to the final order of the courts on any pending litigation related to the land or project, in any court of law.	Environmental Clearance is subjected by SEIAA. And there are no pending court cases. (Details of EC is attached as Annexure 2)
G-54	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	No appeal has been done regarding grant of EC within a stipulated period of 30 days from the date of grant of EC.
G-55	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Aware of the condition.
G-56	The SEIAA may revoke or suspend the order, for non implementation of any of the specific or any of the above conditions. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.	Aware of the condition.
G-57	As per regulation no. 106(2) of metalliferous mines regulation under Mine act, the height of any bench shall not exceed six meters and breadth shall not be less than the height.	The height and breadth of benches are maintained within the limits.

ANNEXURES

നോൺ ജുഡീഷ്യൽ

NON JUDICIAL

₹ 200

₹ 200

കേരള സർക്കാർ
GOVERNMENT OF KERALA
e-Stamp

e-Stamp Serial Number : 202627000003855762

Verification Code : 775609902V

Govt. Reference No.(GRN) : KL025502388202627E
Purpose : Agreement or memorandum of an agreement - if not otherwise provided for
Amount of Stamp Paper Purchased in Numeral : ₹ 200
Amount of Stamp Paper Purchased in Words : Rupees Two Hundred
Stamp Paper Purchased on : 31/08/2026 15:17:20
First Party Name : THOMAS VARGHESE
First Party Address : PULIMPALLIL HOUSE NIRANAM P O THIRUVALLA
Second Party Name : CHAIRMAN
Second Party Address : SEIAA TRIVANDRUM
Vendor Code & Name : 02041880 - JAYAKUMARI C
Treasury Code & Name : 0204 - Sub Treasury Vizhinjam

Please write or type below this line

AFFIDAVIT

I **THOMAS VARGHESE**, Pulimpallil House, Niranam P.O., Thiruvalla, Pin:689621, Kadapra Village, Thiruvalla Taluk, Pathanamthitta District do hereby solemnly affirm and confirm as follows: -

That I have proposed a Granite Building Stone Quarry which is situated at Block No.28, Re-Survey No. 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1, 0.8970 Hectare in Mallappally Village, Mallappally Taluk, Pathanamthitta District, Kerala State.

Elizabeth Thomas
ELIZABETH THOMAS
Advocate & State Notary
Kerala State
Reg.No:2/2004/PTA

Thomas Varghese
THOMAS VARGHESE


C. Jayakumar



This can be verified by https://estamp.treasury.kerala.gov.in/index.php/estamp_search using e-Stamp Serial Number and Verification Code.

In case of any discrepancy, please inform the competent authority.

2. That I will Constitute an Environmental Monitoring Cell for Our Project.
3. That I will Provide the systems to minimize dust emissions.
4. That I will provide adequate safety measures for the Construction workers during the Construction phase.
5. That I will provide green belt species shall be planted in the excavated pit for eco restoration.



THOMAS VARGHESE

Place: Pathanamthitta

Date: 01-09-2026


ELIZABETH THOMAS
Advocate & State Notary
Kerala State
Reg.No:2/2004/PTA



ENVIRONMENTAL
CLEARANCE

Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), KERALA)

To,

The owner

THOMAS VARGHESE

Pulimpallil, Niranam P.O, Thiruvalla, Pathanamthitta, Kerala - 689621 - 689621

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/KL/MIN/409822/2022 dated 09 Jan 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.	EC25B001KL114875
2. File No.	2161/EC1/2022/SEIAA
3. Project Type	New
4. Category	B
5. Project/Activity including Schedule No.	1(a) Mining of minerals
6. Name of Project	Granite building stone quarry of Thomas Varghese
7. Name of Company/Organization	THOMAS VARGHESE
8. Location of Project	KERALA
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 19/02/2025

(e-signed)
 Mir Mohammed Ali IAS
 Member Secretary
 SEIAA - (KERALA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.





सत्यमेव जयते

PROCEEDINGS OF THE STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – KERALA, THIRUVANANTHAPURAM

(Present : Dr.H.Nagesh Prabhu IFS (Retd), Chairman,
Shri.K.Krishna Panicker, Member, Dr. Rathan U.Kelkar IAS, Member Secretary)

Sub:- Environmental Clearance for the Granite Building Stone Quarry Project of Sri. Thomas Varghese, Pulimpallil, Niranam P.O., Thiruvalla, Pathanamthitta - Granted – Orders issued.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

Proposal No. SIA/KL/MIN/409822/2022

File No.2161/EC1/2022/SEIAA

Ref: 1. Application for EC received from Sri. Thomas Varghese via PARIVESH on 09.01.2023.

2. Minutes of the 170th SEAC meeting held on 3rd, 4th & 5th September 2024
3. Minutes of the 149th SEIAA meeting held on 28th, 29th & 30th October 2024.
4. Minutes of the 151st SEIAA meeting held on 30th & 31st December 2024

ENVIRONMENTAL CLEARANCE NO. 13/Q/2025

Sri. Thomas Varghese, Pulimpallil, Niranam P.O., Thiruvalla, Pathanamthitta, submitted an application vide paper read as 1st above for Environmental Clearance for the Granite Building Stone Quarry Project for an area of 0.8970 Ha at Block No. 28, Survey Nos. 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1 in Mallappally Village, Mallappally Taluk, Pathanamthitta. The project details are as follows.

1) Project Details

SL.No	Particulars	Details
1	Name of the Project	Granite Building Stone Quarry Project of Sri. Thomas Varghese

2	Proposed Activity	Mining of Granite Building Stone
3	Name of the Sector & Schedule No. (in the EIA Notification, 2006)	Non Coal mining, Activity 1(a), Category B2
4	Name & Address of the Project Proponent	Sri. Thomas Varghese, Pulimpallil, Niranam P.O., Thiruvalla, Pathanamthitta - 689621
5	Project Location	
	a) Block No.	28
	b) Survey Nos.	496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1
	c) Village	Mallappally
	d) Taluk	Mallappally
	e) District	Pathanamthitta
6	Extent (in Hectare)	0.8970
7	Project Cost	Rs. 1,65,65,127 /-
8	Mineable Reserve	Shall be re-assessed by the Mining & geology Department as per specific condition No.3
9	Field Inspection Date	23.07.2023

2) CER Details

SL.No.	AREA OF INTERVENTION	CAPITAL COST	RECURRING COST
1	Installation of RO plant in Ward No.7 Mallappally Village in consultation with local people and Ward Member a. Cost of RO plant b. GST 18% c. Transportation Charges d. Civil works including foundation, drains, drain sumps, storage tanks, neutralization pit e. Electrical wiring, cabling including motor starters MCC control panel etc f. Piping inlet and outlet of plant and tanks g. Plant building and its illumination & ventilation h. Labours charge for erection and commission i. Maintenance and chemical cost	Rs. 3,80,000/- Rs. 68,400/- Rs. 50,000 Rs.75,000/- Rs. 1,25,000/- Rs. 50,000/- Rs.1,05,000/- Rs.95,000/-	Rs.1,50,000/- for four years
TOTAL		Rs. 9,48,400/-	Rs. 1,50,000/-
GRAND TOTAL		Rs. 10,98,400/-	

3) EMP Details

Environment Monitoring	Capital Cost (Rs.)	Recurring Cost (Rs.)
a. Cost for protective measures at lower elevation	Rs.2,00,000/-	Rs. 5,000/-
b. Environment Monitoring (Core and Buffer Zone) - Air Quality, Water Quality, Noise and Ground Vibration	Rs. 30,000/-	Rs.10,000/-
c. Air Pollution Control - Dust Collector, Water sprinkler, Polythene Sheet	Rs.1,50,000/-	Rs. 50,000/-
d. Water Pollution Control - Garland Drains, Water storage Tank, Waste Tank, Check Dams, Silt traps	Rs. 2,00,000/-	Rs. 50,000/-

e. Green Belt Development Including cost of afforestation - Saplings, Plant Guard including cost of Landscaping	Rs. 1,00,000/-	Rs. 50,000/-
f. Solid Waste Management & Domestic Effluent management - Dumping Yard retaining wall, Sewage Treatment	Rs.2,00,000/-	Rs.75,000/-
g. Occupational Health and Safety - Helmet, Mask, Hand Gloves, Mining Safety Shoes	Rs. 1,00,000/-	
h. Reclamation/Rehabilitation of Mined out Area - Saplings, Plant Guard including cost of Landscaping	Rs. 2,00,000/-	Rs.50,000/-
		Rs. 2,90,000×4 years
TOTAL COST OF EMP	Rs. 11,80,000	Rs. 11,60,000
GRAND TOTAL	Rs.23,40,000/-	

2. After due appraisal, in the 170th meeting, the SEAC recommended EC for 4 (Four) years subject to certain specific conditions in addition to the general conditions.

3. In the 149th meeting, the Authority noticed that the SEAC had appraised the project based on Form 1, Pre-Feasibility Report, Mining Plan, the additional details/documents obtained from the Project Proponent during appraisal and the field inspection report and recommended EC for the mine life of 4 years, subject to certain Specific Conditions in addition to the General Conditions.

In the above circumstances, the Authority decided to issue Environmental Clearance for the project life of 4 (Four) years, subject to the following Specific Conditions in addition to the General Conditions.

- 1. The Project Proponent shall carry out quarrying as per the approved Mining Plan and as per the Specific Conditions mentioned hereafter. The Project Proponent should strictly follow the Kerala Minor Mineral Concession Rules, 2015 and amendments thereby.*
- 2. The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the permit / lease order should be provided to the SEIAA before commencing the mining activity.*

3. *The depth of mining should be limited to 55m above MSL to confining the mining to the slope and prevent the formation of mine pit to avoid breach of water storage to the residential area. The mineable resources shall be reworked accordingly by the Mining and Geology Department while approving the Scheme of Mining / issuing the lease or permit.*
4. *The protective wall of 5m height between BP-7 and BP-8 should be developed prior to the commencement of mining activities.*
5. *The Mining and Geology Department shall issue permit / lease only after the production of the NOC from the Irrigation Officer in compliance with Section 40(2) of the Kerala Irrigation and Water Conservation Act, 2003. The project proponent shall scrupulously follow all the conditions in the NOC. Project proponent shall submit copy of the NOC with 1st HYCR.*
6. *A temporary wall of 5m height should be erected at the boundary where houses are located to avoid disturbance and nuisance to the nearby residents.*
7. *Development of green belt should be initiated prior to the commencement of mining using indigenous species. The suggested species are Phyllanthus emblica (Nelli), Syzygium cumini (Njaval), Writia tinctoria (Dhanthapala), Ficus bengalensis (Peral), Ficus racemosa (Atti), Bambusa bamboos (Mullumula), Dendrocalamus strictus (Kallan mula), Strychnos nuxvomica (Kanjiram), Terminalia cattappa (Thanni), Schleicheria oleosa (Poovam), Artocarpus hirsutus (Ayiniplavu) etc.*
8. *Compensatory afforestation should be done prior to the commencement of mining, by planting local species of trees as proposed.*
9. *Geotagged photographs of the progress of compensatory afforestation should be submitted along with HYCR*
10. *Adequate number of avenue trees of indigenous species should be planted along both sides of the haulage road.*
11. *The haulage road should be provided with sprinkling facility to prevent dust pollution.*

12. *Drainage system incorporating garland canal, silt traps, siltation pond and outflow channel connecting to a natural drain should be provided prior to the commencement of mining.*
13. *Garland drain, silt-traps, siltation ponds and outflow channels should be desilted periodically and geo-tagged photographs of the process should be included in the Half-Yearly Compliance Report (HYCR).*
14. *Overflow water from the siltation pond should be discharged to the nearby natural drain after adequate filtration.*
15. *Drainage water should be monitored at different seasons by an NABL accredited lab and clear water should only be discharged into the natural stream. Geotagged photographs of the drainage and sampling site should be submitted along with HYCR.*
16. *Overburden should be stored at the designed place and gabion wall should be provided for the topsoil and overburden storage sites.*
17. *The impact of vibration due to blasting on the houses and other built structures within 200m distance from the project boundary should be monitored in terms of Peak Particle Velocity and amplitude for maximum charge per delay and included in the Half Yearly Compliance Report.*
18. *Implementation of CER Plan should be done during the first two years of the EC period itself and its operation and maintenance should be done till the completion of mine closure plan.*
19. *Transportation of mined material should not be done during the peak hours in the forenoon (8.00am to 10.00am) and afternoon (3.30pm to 5.00 pm).*
20. *Adequate sanitation, waste management and restroom facilities should be provided to the workers.*
21. *Adequate energy conservation measures should be implemented including solar power installations. At least 40% of the energy requirement shall be met from the solar power.*

22. *The Environment Management Cell (EMC) should include one subject expert in environment management and the ward member of the panchayat. The proceedings of the monthly meeting of the EMC should be submitted along with the HYCR.*
23. *Adequate measures should be adopted to harvest the rainwater as per the guidelines issued by the Central Groundwater Authority.*
24. *Blasting mats should be used during rock blasting to contain the blast, prevent fly rocks and suppress dust.*
25. *In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife.*
26. *As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the Project Proponent should implement the Environment Management Plan (EMP)/CER as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, from the beginning of the project, indicating both physical and financial targets year wise. The EMP/CER shall be implemented in consultation with Local Self Govt. Institutions. A copy of the approved EMP/CER shall be made available to the concerned Panchayat for information and implementation support. The indicated cost for implementation of CER activities shall be 2% of the project cost.*
27. *As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16th January 2020 issued by MoEF&CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.*
28. *The Project Proponent is directed to install a CCTV camera and take all other essential measures to ensure that mining site is not used by antisocial elements for*

nefarious antisocial activities which are detrimental for peaceful coexistence in the project region. In case if such complaints are received, the EC given is likely to be cancelled after a police verification.

29. The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986

4. Environmental Clearance as per the EIA Notification, 2006 is hereby accorded for the Granite Building Stone Quarry Project of Sri. Thomas Varghese, Pulimpallil, Niranam P.O., Thiruvalla, Pathanamthitta for an area of 0.8970 Ha at Block No. 28, Survey Nos. 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1 in Mallappally Village, Mallappally Taluk, Pathanamthitta for the project life of 4 (Four) years, from the date of execution of valid mining lease/permit from the Department of Mining and Geology as per S.O.1807 (E) dated.12.04.2022 of MoEF & CC, for the quantity reassessed by the Mining & Geology Department, as per Specific Condition no. (3) in Para 3 above, and all the environmental impact mitigation and management measures undertaken by the Project Proponent in the Form I, EMP, PFR and Mining Plan submitted to SEIAA. The assurances and clarifications given by the project proponent will deemed to be a part of this Proceedings as if incorporated herein. Also the Specific Conditions in Para (3) in addition to General Conditions for projects stipulated for mining (items 1 to 57), mentioned below will be applicable and have to be strictly adhered to.

5. The Environmental Clearance issued will also be subject to full and effective implementation of all the undertakings given in the Application Form, mitigation measures as assured in the Environment Management Plan and the mining features including Progressive Mine Closure Plan as submitted with the application. The above undertakings and the conditions and the undertakings of the Mining Plan in (Mining), (Blasting), (Mines Drainage), (Stacking of Mineral rejects and Disposal of waste), (Environment Management Plan) & (Progressive Mine Closure Plan) as submitted will deemed to be part of this Proceedings as conditions as undertaken by the project proponent, as if incorporated herein.

6. Validity of the Environmental Clearance will be **4 (Four) years** from the date of execution of valid mining lease/permit from the Department of Mining & Geology as per SO 1807(E) dated 12.04.2022 of MoEF & CC, subject to earlier review of EC in case of violation or non-compliance of any of the conditions or genuine complaints from residents within the security area of the quarry.

7. Compliance with the conditions herein will be monitored by the State Level Environment Impact Assessment Authority or its authorised offices and also by the Regional Office of the Ministry of Environment, Forest & Climate Change, Govt. of India, Bangalore. Necessary assistance for entry and inspection should be provided by the Project Proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring. Instances of violation if any shall be reported to the **District Collector, Pathanamthitta** by the State level Environment Impact Assessment Authority, Kerala.

8. The Half Yearly Compliance Report (HYCRs) with name of the project, EC No. and date, the period of submission with its contents, compliance report and environmental monitoring data & covering letter have to be uploaded in the Parivesh Portal as per O.M. F.No.IA3-22/1/2022-IA-III(E)-17264 dated 14.06.2022 and the website of the Project Proponent. Hardcopy of HYCRs shall not be acceptable.

9. The given address for correspondence with the authorised signatory of the project is Sri. Thomas Varghese, Pulimpallil, Niranam P.O., Thiruvalla, Pathanamthitta- 689621.

GENERAL CONDITIONS

1. *The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.*
2. *All the statutory clearances should be obtained, as applicable, by the project proponent from the respective competent authorities including that for blasting and storage of explosives. Copies of all statutory clearances shall be submitted along with First Half Yearly Compliance Report.*
3. *The project proponent should advertise in news papers that the project has been accorded Environmental Clearance and copies of clearance letters are available in the Office of State Environment Impact Assessment Authority (SEIAA) and on*

the website of the Authority at www.seiaakerala.in. The advertisement should be in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language. The advertisement should be made within 10 days from the date of receipt of the Environmental Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.

- 4. The proponent shall send a copy of the EC to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The Environmental Clearance shall also be uploaded on the website of the company.*
- 5. The lease area shall be fenced with barbed wire to a minimum height of 4ft around, before starting mining. All the boundary indicators (boards, markings, etc) shall be conspicuous and maintained at all times.*
- 6. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.*
- 7. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department. Mats to reduce fly rock blasts to a maximum of 10 PPV should be provided.*
- 8. Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged stipulated by Explosive Department.*
- 9. Access roads to the quarry shall be black topped to contain dust emissions that may arise during transportation of materials. The transportation of minerals should be done in covered trucks to contain dust emissions.*
- 10. A separate Environmental Management Cell (EMC) with suitable qualified personnel should be set-up under the chairmanship of a Senior Executive, who will report directly to the Head of the Organization. The Cell should have representative of Biodiversity Management Committee of the Panchayath and a representative of NGO, if any active in the area. The EMC should meet at least once in six months and review the activities and minutes should be a part of the compliance report.*
- 11. Quarrying has to be carried out as per approved mining plan with the suggestions*

from SEAC incorporated and following KMMC rules 2015 and the Amendments thereby.

- 12. The quarrying operation (blasting) shall be restricted between 7 AM and 5PM*
- 13. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.*
- 14. Maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The maximum depth of mining should not be deeper than the local ground water table. No mining operations should be carried out at places having a slope greater than 45°.*
- 15. The height of any bench shall not exceed five meters and breadth shall not be less than the height.*
- 16. The Project proponent shall ensure that no perennial or intermittent natural water course and/or water resources are obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.*
- 17. A minimum buffer distance specified as per existing rules and statutory orders shall be maintained from the boundary of the quarry to the nearest dwelling unit or other structures, and from forest boundaries or any other ecologically sensitive and archeologically important areas or the specific distance specified by SEIAA in EC as per the recommendations of SEAC depending on specific local conditions.*
- 18. The proponent should plant seedlings at least 5 times of the loss of trees that has occurred while clearing the land for the project and follow planting measures as suggested by SEAC. Suitable avenue trees should be planted along the sides of the approach road and internal roads and open parking areas, if any. Preference should be given to endemic native and fruit bearing species. Planting in buffer areas should be taken up beforehand. Proper upkeep and maintenance of planted seedlings shall be ensured by the project proponent.*
- 19. The proponent should ensure that the vegetation in the buffer is retained, maintained and strengthened with additions of native broad leaved plants.*
- 20. Eco-restoration including the closure of mine as per the progressive closure plan and final closure plan shall be done at the cost of the project proponent. This eco-*

restoration should follow scientific standards available for restoration, full recovery of the original vegetation and improving the resilience of different ecosystems. Overburden materials should be managed within the site and used for reclamation of mined pit as per mine closure plan / specific conditions.

21. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with suitable indigenous plant species, if no other specific condition on reclamation of pit is stipulated in the E.C. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.
22. Control measures on noise and vibration prescribed by KSPCB should be implemented. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
23. Periodical monitoring of the vibration at specified location (preferably at a distance of 50 m and 100 m) to be conducted and records kept for inspection. This could also form a part of the compliance reports.
24. Speed of trucks entering or leaving the mine site is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.
25. Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standard limit indicated by CPCB/KSPCB.
26. Blasting should be done in a controlled manner using NONEL technique as specified by the regulations of Petroleum and explosive safety organization (GOI) or any other concerned authorized agency. A licensed person should supervise/control the blasting operations.
27. Measures should be taken for maintaining noise levels below 85 dBA in the work environment.
28. Project proponent should obtain necessary prior permission of the competent authorities for drawing requisite quantity of surface water and ground water for the project.
29. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly compliance reports to SEIAA.

30. *Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps, to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, and for green belt development etc. The drains shall be regularly desilted and maintained properly, particularly after monsoon.*
31. *Regular monitoring of ground water level and quality shall be carried out around the mine area during mining operation. If any stage ,if it is observed that ground water table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.*
32. *Garland drains and silt traps are to be provided in the slopes around the core area to channelize storm water. De-silting of Garland canal and silt traps have to be attended on a daily basis. A labour has to be specifically assigned for the purpose. The proponent shall ensure the quality of the discharging storm water as per the General Effluent Discharge Standards of CPCB.*
33. *In the case of any change(s) in the scope of the project, extent, quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which the E.C was issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority. In the case of transfer of ECs, the matter shall be intimated and get the approval from the Authority as per the existing norms.*
34. *The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.*
35. *The top soil, if any, shall be temporarily stored at earmarked place (s) and used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained at 45⁰. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. At critical points, use of geo textile shall be undertaken for stabilization of the dump.*

- Protective wall or gabions should be made around the dump to prevent erosion / flow of sediments during rains. The entire excavated area shall be backfilled.*
36. *All the mining equipment used in Mining like backhoe loaders and excavators cause pollution and hence shall be serviced regularly & maintained for their efficient functioning and for reducing pollution. Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.*
 37. *All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking centre. Washing of all vehicles shall be inside the lease area. .*
 38. *Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution such as haul road, loading and unloading points and transfer points and having high levels of PM₁₀ and PM_{2.5}. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board.*
 39. *Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement at project site, parking area, on haul roads, loading and unloading and at transport points should be provided and properly maintained.*
 40. *Corporate Environmental Responsibilities (CER) as prescribed by SEIAA/SEAC should be carried out leading to Environmental stability of the Project region. The activities carried out under CER should be a part of the half yearly compliance report. The certificates from the beneficiaries, if the CER part is completed should also be submitted to the State Environment Impact Assessment Authority (SEIAA) along with year wise expenditure .*
 41. *The project proponent is responsible for implementing all the provisions of labour laws applicable from time to time to quarrying /Mining operations. The workers on the site should be provided with on-site accommodation or facilities at a suitable boarding place, protective equipment such as ear muffs, helmet, etc.*
 42. *The proponent has to provide insurance protection to the workers in the case of existing mining or provide the affidavit in case of fresh lease before execution of mining lease.*
 43. *Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The report of health surveillance programme*

should be included in the half yearly compliance reports.

44. *The pits in the abandoned quarries and in the mined area shall be used for activities like water harvesting, aqua culture etc. in an eco friendly manner.*
45. *If Government land is partly or fully used for mining, the area shall be returned at the end of lease period after mine closure with separate demarcation with suitable survey marks.*
46. *Any accident occurring in the mined out area after the lease period due to negligence in carrying out safety measures and non-closure , will lead to suspension of all EC obtained for mining by the Proponent.*
47. *In case of transfer of EC the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.*
48. *The proponent shall submit Half Yearly Compliance Reports (1st of June & 1st of December) on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall be simultaneously sent to the respective Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India and also to the Office of State Environment Impact Assessment Authority (SEIAA). The proponent has to submit Environmental statement in form V of Environment (Protection) Rules 1986 to SPCB on 31st March every year.*
49. *The project authorities should extend full cooperation to the officer (s) from the Regional Office of MOEF & CC located at Bangalore/SEAC/SPCB/CPCB/dept of Mining and Geology, while monitoring compliance of the stipulated conditions, by furnishing the requisite data/information/monitoring reports.*
50. *The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.*
51. *The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environment Clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.*
52. *The EC given will be withdrawn at any time if the area is declared high*

hazardous by the SDMA.

53. *The Environmental Clearance will be subject to the final order of the courts on any pending litigation related to the land or project, in any court of law.*
54. *Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.*
55. *Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.*
56. *The SEIAA may revoke or suspend the order, for non implementation of any of the specific or any of the above conditions. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.*
57. *As per regulation no. 106(2) of metalliferous mines regulation under Mine act, the height of any bench shall not exceed six meters and breadth shall not be less than the height.*

To

Sri. Thomas Varghese,
Pulimpallil, Niranam P.O.,
Thiruvalla, Pathanamthitta

Copy to:

1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034. (through e-mail: rosz.bng-mefcc@gov.in)
2. The Secretary to Government, Environment Department, Government of Kerala
3. The Director, Directorate of Environment & Climate Change, 4th Floor KSRTC Bus Terminal, Thampanoor, Thiruvananthapuram, Kerala 695001.
4. The District Collector, Pathanamthitta
5. The Director, Mining & Geology, Thiruvananthapuram -4.
6. The Member Secretary, KSPCB, Trivandrum
7. The Environmental Engineer, KSPCB, Pathanamthitta
8. The District Geologist, Pathanamthitta
9. The Tahasildar, Mallappally Taluk, Pathanamthitta
10. The Secretary, Mallappally Grama Panchayath, Pathanamthitta
11. The Chairman, SEIAA.
12. Website.
13. S/f/O/c

ANNEXURE 3 - ENVIRONMENT MONITORING CELL

An environmental monitoring cell was formed with Mr. Thomas Varghese head of the monitoring cell and made functional. Meeting of monitoring cell is arranged monthly and discuss the status of the compliance of the specific and general conditions contained in the Environmental clearance order. The details of the monitoring cell members are given below:

Sl. No.	Post	Name
1	Head of the monitoring cell	Mr. Thomas Varghese
2	Head in charge (Environment)	Mr. Rajesh Nair
3	Senior Environmental Officer	Mr. Rahul
4	Environmental Officer	Mr. Prveen K Prasadh
5	Name of the environmental officer incharge	Mr. Vincent Md
6	Name of the officer Environment, Health and safety	Mr. Roji K Baby
8	Name of the environment laboratory	Standards Environmental & Analytical Laboratories
9	Address of Environmental laboratory	Building No. 338/A, B, C, D, E, Edayar, Muppathadam P.O., Kochi, Ernakulam, Kerala, India



Mallappally Grama Panchayat

CERTIFICATE OF IFTE & OS LICENSE

(Issued under Section 232 of the Kerala Panchayath
Raj Act 1994)

License No : BFIF01-G030107-00017-2025

1. Licensee Details

[ലൈസൻസ് എടുക്കുന്ന വ്യക്തിയുടെ പേരും വിലാസവും]

Licensee/Organization Name THOMAS VARGHESE
Name in Local Language തോമസ് വർഗീസ്
Licensee Address Pulimpallil, Niranam, 689621
Licensee Contact Details **Phone :** 9497264375
Email : roshanreji2018@gmail.com



2. Licensing Place Details

[ലൈസൻസിങ് യൂണിറ്റ് സ്ഥലവും]

Licensing Unit ID/Type Individual
Details of Licensing Place - Building no. / Survey no 7 - 28/496/2-1,7 - 28/496/3,7 - 28/496/14,7 - 28/496/4,7 - 28/497/4-1-1,7 - 28/497/4-2,7 - 28/501/1-1-3,7 - 28/496/2
Licensing Unit Name Thomas Varghese
Licensing Unit Name in Local Language തോമസ് വർഗീസ്
Licensing Unit Address Narakathani, Narakathani, 689544
Contact Information **Phone :** 9645084375
Email : roshanreji2018@gmail.com

3. Licensing Business Activity Details

SI No	Business Category	Type	Sub Type
1	Quarrying, Mining & Extraction	Construction Materials	Granite Quarrying

4. License Validity & Renewal Period

License valid From	License valid to	Renewal period of License	License Fee
13-08-2025	31-03-2028	02-03-2028 - 31-03-2028	3000.00



The Govt. vide G.O.(Ms) No.202/2012/LSGD dated 25/07/2012 has approved this certificate as a valid document for all official purposes.
 The License No. is unique to each license. Authenticity of this certificate can be verified at www.ksmart.lsgkerala.gov.in
 See overleaf for license terms and conditions.

ലൈസൻസ് നിബന്ധനകൾ

1. കേരളാ പഞ്ചായത്ത് രാജ് ആക്ടിലെ ലൈസൻസ് സംബന്ധിച്ചുള്ള വ്യവസ്ഥകളും മറ്റു പൊതു വ്യവസ്ഥകളും അതത് സമയങ്ങളിലെ ചട്ടങ്ങളും, പഞ്ചായത്തിന്റെ ബൈലോയിലെ നിബന്ധനകളും ഉത്തരവുകളും ലൈസൻസി പാലിക്കേണ്ടതാണ്.
2. ലൈസൻസ് സർട്ടിഫിക്കറ്റ് സ്ഥാപനത്തിൽ പ്രദർശിപ്പിച്ചിരിക്കേണ്ടതാണ്.
3. സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം ഇംഗ്ലീഷിലും മലയാളത്തിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
4. സ്ഥാപനവും പരിസരവും ശുചിയായി സൂക്ഷിക്കേണ്ടതാണ്.
5. സ്ഥാപനത്തിൽ ഉണ്ടാകുന്ന മാലിന്യങ്ങൾ തരം തിരിച്ചു സൂക്ഷിക്കേണ്ടതും ജൈവ മാലിന്യങ്ങൾ സംസ്കരിക്കുന്നതിന് സ്വന്തമായി സംവിധാനങ്ങൾ ഒരുക്കുകയോ പഞ്ചായത്ത് ഏർപ്പെടുത്തുന്ന ഏജൻസിക്ക് കൈമാറുകയോ ചെയ്യേണ്ടതും, അജൈവ മാലിന്യങ്ങൾ ഹരിത കർമ്മ സേനയ്ക്കോ, പഞ്ചായത്ത് ഏർപ്പെടുത്തുന്ന മറ്റു ഏജൻസിക്കോ കൈമാറേണ്ടതുമാണ്.
6. മനുഷ്യാപയോഗത്തിനുള്ള ഭക്ഷണ പദാർത്ഥങ്ങളിൽ മാത്രം ചേർക്കുകയോ, മനുഷ്യാരോഗ്യത്തിന് ഹാനികരമായതും പഴകിയതും മനുഷ്യാപയോഗ യോഗ്യമല്ലാത്തതുമായ ഭക്ഷണ പദാർത്ഥങ്ങൾ വില്പനയ്ക്കായി സൂക്ഷിക്കുകയോ, മാലിന്യങ്ങൾ കലരുന്ന വിധത്തിൽ അനാരോഗ്യകരമായ സാഹചര്യത്തിൽ ഭക്ഷണ പദാർത്ഥങ്ങൾ സൂക്ഷിക്കുകയോ ചെയ്യാൻ പാടില്ലാത്തതാണ്.
7. ഭക്ഷണ പദാർത്ഥങ്ങൾ കൈകാര്യം ചെയ്യുന്നവർക്ക് നിർബന്ധമായും ഹെൽത്ത് കാർഡ് ഉണ്ടായിരിക്കേണ്ടതാണ്.
8. പകർച്ചവ്യാധികൾ പിടിപെട്ടവരെ സ്ഥാപനത്തിൽ ജോലിക്കായി നിയോഗിക്കാൻ പാടില്ലാത്തതാണ്.
9. നിരോധിത പ്ലാസ്റ്റിക് ഉത്പന്നങ്ങൾ സ്ഥാപനത്തിൽ സൂക്ഷിക്കുകയോ വിൽക്കുകയോ ചെയ്യാൻ പാടില്ലാത്തതാണ്.
10. ജീവനക്കാർക്കും പൊതുജനങ്ങൾക്കും പ്രാഥമിക ആവശ്യങ്ങൾക്കുള്ള നിയമപരമായ സൗകര്യങ്ങൾ സ്ഥാപനത്തിൽ ഏർപ്പെടുത്തേണ്ടതാണ്.
11. സെക്രട്ടറിയോ സെക്രട്ടറി ചുമതലപ്പെടുത്തുന്ന ഉദ്യോഗസ്ഥനോ ഏതു സമയത്തും സ്ഥാപനം പരിശോധിക്കുന്നതിന് സൗകര്യം ഒരുക്കേണ്ടതാണ്.
12. വിദ്യാഭ്യാസ സ്ഥാപനങ്ങൾക്ക് നൂറു വാർ ചുറ്റളവിൽ പുകയില ഉത്പന്നങ്ങൾ വിൽക്കാൻ പാടില്ലാത്തതാണ്. പുകയില നിരോധന നിയമ (COTPA 2003) പ്രകാരമുള്ള എല്ലാ നിബന്ധനകളും ലൈസൻസി പാലിക്കേണ്ടതാണ്.
13. മലിനീകരണ നിയന്ത്രണ ബോർഡിന്റെയും മറ്റു ഏജൻസികളുടെയും ഡിപ്പാർട്ട് മെന്റുകളുടെയും അനുമതികളിൽ നിർദ്ദേശിച്ചിട്ടുള്ള വ്യവസ്ഥകൾ പാലിച്ചു മാത്രമേ സ്ഥാപനം പ്രവർത്തിപ്പിക്കുവാൻ പാടുള്ളൂ.
14. ലൈസൻസ് അനുവദിക്കുന്നതിനായി സമർപ്പിച്ചിട്ടുള്ള വിവിധ ഡിപ്പാർട്ട്മെന്റുകളുടെ നിരാക്ഷേപ പത്രങ്ങൾ, അനുമതികൾ എന്നിവ യഥാസമയം പുതുക്കേണ്ടത് ലൈസൻസിയുടെ ഉത്തരവാദിത്വം ആയിരിക്കുന്നതും അപ്രകാരം പ്രവർത്തിക്കാത്ത പക്ഷം ലൈസൻസിന് നിയമ സാധ്യത ഉണ്ടായിരിക്കുന്നതുമല്ല.
15. ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് മുമ്പായി ലൈസൻസ് പുതുക്കുന്നതിനുള്ള അപേക്ഷ ഓൺലൈൻ ആയി സമർപ്പിക്കേണ്ടതാണ്.
16. കാലാകാലങ്ങളിൽ കേന്ദ്ര-സംസ്ഥാന പ്രാദേശിക ഗവൺമെന്റ് ഏർപ്പെടുത്തുന്ന നിരോധനങ്ങളും നിയമങ്ങളും നിർദ്ദേശങ്ങളും ലൈസൻസി അനുസരിക്കേണ്ടതാണ്.
17. ലൈസൻസ് വ്യവസ്ഥകൾ ലംഘിക്കുന്ന പക്ഷം കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് സെക്ഷൻ 232,233 പ്രകാരവും, മറ്റു ബന്ധപ്പെട്ട വകുപ്പുകൾ പ്രകാരവും, 1996- ലെ കേരള പഞ്ചായത്ത് രാജ് (വ്യവസായങ്ങൾക്കും ഫാക്ടറിൾക്കും വ്യാപാരങ്ങൾക്കും സംരംഭക പ്രവർത്തനങ്ങൾക്കും മറ്റു സേവനങ്ങൾക്കും ലൈസൻസ് നൽകൽ) ചട്ടങ്ങൾ പ്രകാരവും സ്ഥാപനത്തിന്റെ പ്രവർത്തനം നിർത്തി വയ്ക്കുന്നതിനോ ആയതു പരിഹരിക്കുന്നതിന് ആവശ്യമായ നടപടികൾ സ്വീകരിക്കുന്നതിനോ സെക്രട്ടറി ആവശ്യപ്പെടുന്ന പക്ഷം ആയതു ലൈസൻസി അനുസരിക്കേണ്ടതാണ്. അല്ലാത്തപക്ഷം സ്ഥാപനം ഡിപ്പാർട്ട്മെന്റൽ ആയി അടച്ചു പൂട്ടുന്നതാണ്. കൂടാതെ പ്രോസിക്യൂഷൻ നടപടിക്ക് വിധേയൻ ആകുന്നതിനോ സെക്രട്ടറി ചുമത്തുന്ന പിഴ ഒടുക്കുന്നതിനോ ലൈസൻസി ബാധ്യസ്ഥൻ ആയിരിക്കുന്നതാണ്.

FILE NO : KSPCB/PT/ICO/10088408/2025

Date of issue : 17-06-2025



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO

OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974

The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

As per Application No. : 10088408

Dated : 02-06-2025

To

**QUARRY OWNED BY THOMAS VARGHESE
MALLAPPALLY.**

Consent No. : KSPCB/PT/ICO/10088408/2025

Valid Upto : 31-08-2027

1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit

1	VALIDITY	31-08-2027
2	Name and Address of the establishment	QUARRY OWNED BY THOMAS VARGHESE MALLAPPALLY. E-Mail : jjgroup1994@gmail.com Contact Number : 9645084375
3	Occupier Details	THOMAS VARGHESE . PULIMPALLIL, NIRANAM P O, THIRUVALLA. E-Mail : gokulvenus@yahoo.co.in Contact Number :
4	Local Body	MALLAPPALLY PANCHAYATH
5	Survey Number	496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1
6	Village	Mallappally
7	Taluk	Mallappally
8	District	PATHANAMTHITTA
9	Capital Investment(Rs in Lakhs)	100.0
10	Scale	Small
11	Category	RED
12	Annual fee(Rs)	25000.0
	Total Fee remitted(Rs)	125000.0
13	Activity	BUILDING STONE- 350 Metric Tonnes/Day
14	Machinery details	Hydraulic excavator & Breaker Combined HP= 165 HP- 3 no.s Compressor & Jack Hammer Combined HP=100 - 1 no.

2.GENERAL CONDITIONS

1. This Consent is issued based on the Judgement dated 25-10-21 of the Honourable Supreme Court of India in CA no. 6273 of 2021 and connected matters, order dated 14-12-2021 of the Honourable Supreme Court in MA no. 1904 of 2021, Judgement dated 10-11-2021 of the Honourable High Court of Kerala in WP(C) 2773 of 2021 and Judgement dated 10-12-2021 of the Honourable High Court of Kerala in WP(C) 27178 of 2021.
2. This Consent is issued subject to any order passed by the Honourable Supreme Court, Honourable National Green Tribunal, Honourable High Court of Kerala in connected matters.
3. This consent is issued based on the information furnished in the application, affidavit and other particulars produced by the applicant, and is liable to be revoked if the information is found to be false at any stage.
4. The consent unless withdrawn earlier and subject to condition no. 1 & 2 shall be valid up to **31.08.2027** . For renewal of consent, application may be submitted via online 2 months in advance of expiry of validity date.
5. Quarrying shall be done only within the area marked in the approved location plan attached. No change, deviation or alteration that may affect the environment, extent and location of quarry shall be made. Any change in particulars furnished in the application/the identity of the occupier/ authorized agent is to be intimated to the Board forthwith.
6. A minimum distance of 50 m shall be kept from the boundary of quarry area to residential buildings, places of worship, public buildings, public road having vehicular traffic, river or lake, railway line and bridges.
7. The applicant shall put up sign boards near the main entrance of the plant to display consent number & validity.
8. Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.
9. Fencing shall be provided around the boundary of quarry and shall be maintained properly.
10. After completion of excavation at any site, the abandoned quarry shall be utilized for rain water harvesting with protective barriers/ any other suitable approved purpose or may be reclaimed as per specification.
11. Quarrying activity shall not be carried out during night hours.
12. PM10 in ambient air at the boundary of quarry shall not exceed 100 micrograms per cubic meter and PM2.5 in ambient air at the boundary shall not exceed 60 micrograms per cubic meter .
13. The Sound level (Leq) at 1m outside the boundary of the site shall not exceed the ambient noise standards applicable to the adjoining areas.
14. The consent issued from the Board shall be valid only for a period when all other statutory or necessary clearances from other concerned authorities are valid.

15. The applicant shall comply with the instructions that the Board may issue from time to time regarding the prevention and control of Air, Water, Land and Sound Pollution.
16. Regular wetting of the roads in the premises of the quarry and approach roads near the quarry shall be done for avoiding excessive dust emission within and outside the boundary of the unit.
17. Products shall be transported with proper cover and/or after wetting to prevent spreading of dust. Once the lease/permit from the mining and geology is obtained, copy of the same shall be submitted to the office.
18. There shall not be any direct discharge of overflow water from the mine to nearby premises/ water bodies.
19. Overflow water from the quarry should be discharged into sufficient capacity soak pit only after adequate filtration system.
20. As per the EC condition no. 4 the protective wall of 5m height between BP-7 and BP-8 should be developed prior to the commencement of mining activities.
21. As per the EC condition no. 6 a temporary wall of 5m height should be erected at the boundary where houses are located to avoid disturbance and nuisance to the nearby residents prior to the commencement of mining activities.

Digitally signed by PRAVITHAMOL T N
Date: 2025.06.17 16:11:26 IST

SIGNATURE OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER



To


M/s QUARRY OWNED BY THOMAS VARGHESE
MALLAPPALLY.

E-Mail : jjgroup1994@gmail.com

Contact Number : 9645084375

1.This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to www.keralapcbonline.com and search using Certificate Number/name of the unit/Application Number in “Certificate Verification” link in the home page of the Board’s Phoenix website.





भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसी) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
A और D - विंग, ब्लॉक 1-8, दूसरा तल, शास्त्री भवन | A & D - Wing, Block 1-8, IInd Floor, Shastri Bhavan
26 हड्डोउस रोड, नुंगम्बक्कम चेन्नै | 26 Haddous Road, Nungambakkam Chennai 600006
फोन (Phone):- 28281023 | फैक्स (Fax):- 28284848

संख्या (No.): E/SC/KL/22/1789(E52381)

दिनांक (Date): 30/01/2024

सेवा में | To,

Shri THOMAS VARGHESE.
S/o. P.M. Varghese, Pulimpallik, Niranam P.O, Town-Village - Thiruvalla T.K
District-PATHANAMTHITTA, State-Kerala. Pincode - 689621

विषय: Survey No.248-1, ग्राम Kottangal village,,Mallapally District, Pathanamthi, जिला PATHANAMTHITTA, राज्य Kerala में मेसर्स Shri THOMAS VARGHESE द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/1789(E52381) के संशोधन संदर्भ में।
(विस्फोटक की मात्रा: मासिक खरीद सीमा में परिवर्तन डाक पते में परिवर्तन अरेखण / सुविधाएं / परिसर में परिवर्तन प्राधिकृत अभिकर्ता / अतिषता में परिवर्तन)
Subject: Possession for Use of of Explosives from magazine situated at Survey No.:248/1,, Kottangal village,,Mallapally District, Pathanamthi, Dist. PATHANAMTHITTA, Kerala - Licence No.: E/SC/KL/22/1789(E52381) granted in Form LE-3 of Explosives Rules, 2008 - (Amendment of Quantity of Explosives/Monthly Purchase Limit Change in Postal Address Amendment in Drawings/Facilities/Premises Change in Authorized Signatory/Occupier).

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या 106883 दिनांक 30/01/2024 का संदर्भ ग्रहण करें।
Please refer to your letter no. 106883 dated 30/01/2024.

अनुज्ञप्ति संख्या E/SC/KL/22/1789(E52381) usage of Explosives at the Granite Building Stone Quarry Granted to the Licensee situated at Block No. 28, Re-Survey No. : 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1, Mallapally Vill, Mallapally T.K, Pathanamthitta D.T, Kerala vide the LOI No.1444/DOPTA/M/2022 under the following conditions: 1. Opening of Mines should be intimated to DGMS and Director of Mines & Geology. 2. Blasting Operations should be conducted as per Mines Act & Rules. 3. Usage of Explosives to be as per Explosives Rules, 2008 and all records to be maintained as per the Explosives Rules, 2008. 4. All unused Explosives should be returned to Explosive magazine before Sunset. 5. Transportation of Explosives to be Followed as per Explosives Rules, 2008 and RE6 and RE13 to be maintained as per the Rules. 6. Other Permissions from the State/Central Government Authorities needed to be obtained by the Licensee/Occupier for the Transportation, Usage of Explosives. 7. Licensee/Occupier to be responsible for all activities related to the Blasting, Transportation and any other activities under Explosives Rules, 2008. के संदर्भ में यथा संशोधित कर भेजी जा रही है।
The Licence No.: E/SC/KL/22/1789(E52381) is forwarded herewith duly amended in respect of followings :

usage of Explosives at the Granite Building Stone Quarry Granted to the Licensee situated at Block No. 28, Re-Survey No. : 496 2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1, Mallapally Vill, Mallapally T.K, Pathanamthitta D.T, Kerala vide the LOI No.1444/DOPTA/M/2022 under the following conditions: 1. Opening of Mines should be intimated to DGMS and Director of Mines & Geology. 2. Blasting Operations should be conducted as per Mines Act & Rules. 3. Usage of Explosives to be as per Explosives Rules, 2008 and all records to be maintained as per the Explosives Rules, 2008. 4. All unused Explosives should be returned to Explosive magazine before Sunset. 5. Transportation of Explosives to be Followed as per Explosives Rules, 2008 and RE6 and RE13 to be maintained as per the Rules. 6. Other Permissions from the State/Central Government Authorities needed to be obtained by the Licensee/Occupier for the Transportation, Usage of Explosives. 7. Licensee/Occupier to be responsible for all activities related to the Blasting, Transportation and any other activities under Explosives Rules, 2008.

लाइसेंस रिकॉर्ड में प्राधिकृत अभिकर्ता / अतिषता के नाम इस प्रकार हैं।

The following are the names of the Authorized Signatory/Occupier in the licence records.

क्र No	नाम Name
1)	Thomas Varghese (Authorized Signatory)
2)	Thomas Varghese (Occupier)

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below :

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
1	Nitrate Mixture	2	0	0	300	Kg.
2	Safety Fuse	6	1	0	2000	Mtrs.
3	Electric and/or Ordinary Detonators	6	3	0	5000	Nos.

किसी एक कैलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुज्ञप्ति के लिए लागू) : 10 गुना
Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 10 times as above.

यह अनुज्ञप्ति दिनांक 31 मार्च 2028 तक प्रवृत्त रहेगी।

This Licence shall remain valid till 31st day of March 2028.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया विस्फोटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें।
For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

(डा.टी.एल.थनुलिंगम | Dr. T. L. THANULINGAM)
संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives

दक्षिणांचल, चेन्नै | South Circle, Chennai

प्रतिलिपि प्रेषित | Copy Forwarded to:

1. उप मुख्य विस्फोटक नियंत्रक कोच्ची

The Dy. Chief Controller of Explosives, Kochi

2. डिस्ट्रिक्ट माइनिंग और जियोलॉजी ऑफिसर, कोच्ची

Content owned by Department of Mining and Geology, Kerala. Visit: <https://www.portal.dmg.kerala.gov.in>

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें.)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Digitally signed by Dr T L THANULINGAM
Reason: Licence No. : E/SC/KL/22/1789
Location: Chennai [E52381]

अनुज्ञप्ति प्रारूप एल. ई.-3 LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)

(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1, 2, 3, 4, 5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति
Licence to possess : (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/1789(E52381)

वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Shri THOMAS VARGHESE (अधिभोगी / Occupier : Thomas Varghese), S/o. P.M. Varghese, Pulimpallil, Niranam P.O, Town/Village - Thiruvalla T.k. District-PATHANAMTHITTA, State-Kerala, Pincode - 689621



को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रस्थिति / Status of licensee : Individual

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमाम्य है।

Licence is valid only for the following purpose.

possess for use of Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators, - के उपयोग के लिए

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमाम्य है।

Licence is valid for the following kinds and quantity of explosives: - (क) (a)

क्र. Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2.0	0	300 Kg.
2.	Safety Fuse	6.1	0	2000 Mtrs
3.	Electric and/or Ordinary Detonators	6.3	0	5000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] :

10 times
as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्ति परिसर की पुष्टि होती है।

The licensed premises shall conform to the following drawing(s):

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1789(E52381)

दिनांक (Dated) 30/01/2024

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 248/1, ग्राम (Town/Village) : Kottangal village, Mallapally District, Pathanamthitta
पुलिस थाना (Police Station) : Perumpetty

जिला (District)

PATHANAMTHITTA

राज्य (State)

Kerala

पिनकोड (Pincode)

689588

दूरभाष (Phone)

04692687047

ई.मेल (E-Mail)

फैक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

The licensed premises consist of following facilities.

RCC MAGAZINES

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।

Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों।

Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्रारूप DE-2 / Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2028 तक विधिमाम्य रहेगी। This licence shall remain valid till 31st day of March 2028.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्ति परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII.

wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख, The Date - 29/01/2024

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 30/01/2024
- Change in Authorized Signatory/Occupier/Partners/Directors dated : 30/01/2024
- Change in Postal Address dated : 30/01/2024
- Amendment in Drawings/Facilities/Premises dated : 30/01/2024

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewalनवीकरण की तारीख
Date of Renewalसमाप्ति की तारीख
Date of Expiryअनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प
Signature of licensing authority and stamp**कानूनी चेतावनी :** विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडिक अपराध होगा।**Statutory Warning :** Mishandling and misuse of explosives shall constitute serious criminal offence under the law.**Note :-** This is system generated document does not require physical signature. Applicant may take printout for their records.

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/1789(E52381) की शर्तें निम्नलिखित हैं।
The following are the conditions of licence number E/SC/KL/22/1789(E52381) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट हैं, रखे जाने के लिए और ऐसे रखे जाने से संबंध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके। परंतु—
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पत्तीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पत्तीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थापन के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।
Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लायसीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचें, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचें, शेल्फें और फिटिंग यथासाध्य गिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे। परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्यकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।
The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from; Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
- यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञप्तिधारी इसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उसनी ही फीस अनुज्ञप्तिधारी द्वारा पश्चात्कर्त्ता प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता।
परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभावी होगा।
परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबंध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है।
If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory: Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day:
Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.
- उपयुक्त तथा जेब रहित कार्यकरण वस्तुओं, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियालाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो।
परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है।
Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion: Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

11. अनुज्ञापिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, म सभी विस्फोटक का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टॉक पुस्तक और अभिलेख प्रस्तुत करेगा। स्टॉक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी।
The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञापिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करे।
No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी)। यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञापिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा।
Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
14. मैगजीन का अनुज्ञापिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा।
The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
15. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी।
Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
16. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी।
The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
17. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके।
The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
18. तड़ित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओहम से अधिक नहीं होगा।
The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
19. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुष्क घास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी।
A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
20. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
21. किसी मैगजीन/भण्डारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
22. विस्फोटकों के खाली पैकेजों को शीघ्रतिथीग्न वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
23. अनुज्ञापिधारी और कर्मचारियों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
24. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञात परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
25. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञापिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञापिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the licence shall execute the recommendations and report compliance within the period specified by such authority.
26. अनुज्ञापिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञात फैक्टरी या कंपनी से प्राधिकृत विस्फोटक : आतिशबाजी या सुरक्षा पल्लिते खरीदेगा।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
27. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए -
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए) या 145 डी.बी.(सी) पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाखे) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के. प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding:
a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together.
28. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority, and local office of the licensing authority.

अतिरिक्त शर्तें: Additional Conditions:



1. अनुज्ञापिधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा। The licensee shall not exhibit, possess and sell fireworks of foreign origin.

कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives
दक्षिणचल, चेन्नै। South Circle, Chennai

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Digitally signed by Dr T L THANULINGAM
Reason: Licence No. : E/SC/KL/22/1789
Location: Chennai [E52381]

SITE PLAN SHOWING PROPOSED EXPLOSIVE MAGAZINE FOR 300 KG CLASS II EXPLOSIVE, ORDINARY DETONATOR 100 AND ELECTRIC DENONATOR AND NONEL 4000 AND 1000 MTR SAFTY FUSE AT KERALA STATE, PATHANAMTHITTA DIST, TALUK, MALLAPALLY VILLAGE, IN SY.NO: 248/1



NAME AND ADDRESS OF APPLICANT Sri: THOMAS VARGHESE PULIMPALLIL NIRANAM.P.O. KADAPRA PATHANAMTHITTA DIST KERALA PIN:689 621	
MAGAZINE PREMISE'S DETAILS STATE - KERALA DISTRICT - PATHANAMTHITTA TALUK - KOTTANGAL VILLAGE - MALLAPALLY SY.NO - 248/1	
QUARRY DETAILS STATE - KERALA DISTRICT - PATHANAMTHITTA TALUK - MALLAPALLY VILLAGE - MALLAPALLY SY NO - 496/2,496/2-1,496/3, 496/4,496/14,497/4-1-1	
NAME AND SIGNATURE OF APPLICANT : THOMAS VARGHESE	
SIGNATURE OF PROPRIETOR	

Digitally signed by **DRAWING NO: D-63/64-M**
Reason: **Issue No: E/SCM/2024**
Location: **Chennai, India**
Date: **30-01-2024 12:59:25 PM**

LAYOUT OF MAGAZINE

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1789(E52381) in form LE-3 granted to Shri THOMAS VARGHESE, S/o. P.M. Varghese, Pulimpallil, Niranam P.O, Kerala-689588 .

Type of Structure(s)	Safety distances meters	
Inside Safety Distances(ISD)		
1 Room or Workshop used in Connection with the Magazine	M	UM
2 Any other Explosives Magazine or store House or Factory of the Applicant	16	24
3 Magazine Office		
Middle Safety Distances(MSD)		
4 Magazine Keeper's or Chowkidar's Dwelling house		
5 Railway including Minerals and Private Railways		
6 Canal (in active use) or other navigable water		
7 Dock or Pier or Jetty		
8 Public Highway or Public Road		
9 Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		45
10 River Embankment or Sea Embankment or Public Well		
11 Reservoir or Bounded tank/rope way		
12 Windmillor or Solar panel for Power Generation		
Outside Safety Distances(OSD)		
13 Dwelling House		
14 Govt. and Public Building		
15 Temple, Mosque, Church or Gurudwara or other Places of Worships		
16 Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17 Factory		
18 Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		
19 Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		68
20 Aerodrome		
21 Furnace, Kiln or Chimney		
22 Quarry or mine pit head		
23 Power House or Electric Substation		
24 Wireless Station		
25 Warehouse or other Storage Building		
26 Any other Protected works		
Overhead Electric lines		
27 Electric Power over head Transmission Lines above 440V		68
28 Electric Power over head Transmission Lines upto 440V		15

The Date : 29/01/2024

For Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 30/01/2024
- Change in Authorized Signatory/Occupier/Partners/Directors dated : 30/01/2024
- Change in Postal Address dated : 30/01/2024
- Amendment in Drawings/Facilities/Premises dated : 30/01/2024

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Adimally mudslide: 14 more families to get compensation of ₹10 lakh

The Hindu Bureau
IDUKKI

The government has sanctioned ₹10 lakh each as compensation for families affected by the Adimally mudslide. According to officials, the latest financial assistance will cover an additional 14 families.

An order issued by the Idukki District Collector stated that the district administration had initially submitted a report recommending 18 families for compensation.

However, a subsequent inspection revealed that four of the 18 families owned land under the jurisdiction of the Mannamkandam village office, leading to their exclusion

from the beneficiary list. The devastating mudslide occurred at Koompanpara along the Kochi-Dhanushkodi National Highway on the night of October 25, 2025.

It claimed the life of Bi-ju, a resident of Lakshman Veedu Colony, and severely injured his wife, Sandhya. On October 28, 2025, doctors had to amputate Ms. Sandhya's left leg due to the severity of her injuries.

Under threat
Following the disaster, the Revenue department identified 27 families residing in the area under imminent threat of further mudslides. Officials reported that

nine houses were completely destroyed, while others remained at severe risk, prompting authorities to relocate the families to rented accommodations as a precautionary measure.

A senior revenue official stated that the government had earlier allotted ₹10 lakh each to the nine families whose houses were completely destroyed. Meanwhile, 18 other affected families had been staging protests in Adimally over the past month demanding relief.

Following a high-level inspection, the department cleared the aid for 14 more families, bringing the total aid to 23 and excluding four.

Satheesan urges PM to reconsider provisions of amended mining Bill

The Hindu Bureau
THIRUVANANTHAPURAM

Chief Minister V.D. Satheesan has written to Prime Minister Narendra Modi urging a relook at the provisions of the Mines and Minerals (Development and Regulation) Amendment Bill, 2026, that "restrict the taxation powers of States over mineral rights and mineral-bearing lands." The amendments, the Chief Minister wrote, have far-reaching implications for the constitutional and fiscal powers of States, particularly their authority to levy taxes and other imposts on mineral rights and

mineral-bearing lands. Section 9D of the Bill, passed recently by Parliament, restricts the ability of State governments to impose any tax, cess or other levy on mineral rights and mineral-bearing lands, except within parameters prescribed by the Union government. "The State possesses mineral-bearing areas, including the mineral-rich coastal belt around Chavara containing deposits of ilmenite, rutile, zircon, sillimanite, garnet and monazite. Restricting the State's fiscal authority over mineral-bearing lands affects revenues," Mr. Satheesan said in the letter.

Milma's regional union disburses ₹3.66 crore as Onam incentive

The Hindu Bureau
THIRUVANANTHAPURAM

Milma's Thiruvananthapuram Regional Co-operative

Milk Producers' Union (TRCMPU) said it has paid out ₹3.66 crore as Onam incentive to farmers and

milk cooperative societies. Farmers affiliated to TRCMPU's milk societies in Thiruvananthapuram,

Kollam, Pathanamthitta and Alappuzha districts have benefited from the decision.

Milk societies were provided an additional incentive of ₹5 on every litre of milk procured in July.

KERALA PUBLIC SERVICE COMMISSION SHORT NOTIFICATION

File No. R&A 2(31)2026/KPSC
Extra Ordinary Gazette Date: 30.07.2026

Applications must be submitted online through the official website of the Commission www.keralapsc.gov.in after 'ONE TIME REGISTRATION'. Candidates who have already registered can apply online through their profile. For details regarding qualification etc. please see Gazette Notification dated 30.07.2026 and the website (www.keralapsc.gov.in) of the Commission.

GENERAL RECRUITMENT - STATE WIDE

CATEGORY No. 07/2026
Name of Post: Assistant Professor in Neurosurgery, Department: Medical Education, Scale of Pay as per UGC norms, Age: 22-49 Years; (Fresh) One

CATEGORY No. 07/2026
Name of Post: Assistant Executive Engineer (Electrical), Department: Kerala State Housing Board, Scale of Pay: ₹ 56,500-1,18,100/-, Age: 18-40, Vacancy: 1 (One)

CATEGORY No. 07/2026
By Transfer Recruitment
Name of Post: Non-Vocational Teacher Biology (Senior) - By Transfer from qualified School Teachers/UP School Teachers in General Education Subordinate service, Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: Upper age limit is not applicable, Vacancy: 01 (One)

CATEGORY No. 07/2026
Name of Post: Non-Vocational Teacher Biology (Senior) - By Transfer from qualified Ministerial Staff in the Subordinate Service of the Vocational Higher Secondary Education Department, Department: Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: Upper age limit is not applicable, Vacancy: 01 (One)

CATEGORY No. 07/2026
Name of Post: Architectural Assistant (Direct Recruitment from among persons who possess the qualifications required and have rendered service for not less than two years in any of the categories under Kerala Architectural Subordinate Service), Department: Public Works Department (Architectural Wing), Scale of Pay: ₹ 55,200-1,15,300/-, Age: Upper age limit is not applicable, Vacancy: 01 (One)

CATEGORY No. 07/2026
Name of Post: Junior Instructor (Mechanic Tractor), Department: Industrial Training, Scale of Pay: ₹ 37,400-79,000/-, Age: 19-48, Vacancy: 01 (Anticipated)

CATEGORY No. 07/2026
Name of Post: Draftsman Gr 1/Draft Engineer, Department: Kerala Water Authority, Scale of Pay: ₹ 36,500-89,000/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Deputy Manager (Finance, Accounts & Secretarial Branch), Department: Travancore Sugars & Chemicals Limited, Scale of Pay: ₹ 36,700-15,600/-, Age: 18-40, Vacancy: 01 (One)

CATEGORY No. 08/2026
Name of Post: Brailist, Department: General Education, Scale of Pay: ₹ 35,600-75,400/-, Age: 18-40, Vacancy: 03 (Three)

CATEGORY No. 08/2026
Name of Post: Technical Assistant (Geographical Information System), Department: Land Use Department, Scale of Pay: ₹ 31,100-66,800/-, Age: 18-40, Vacancy: 01 (One)

CATEGORY No. 08/2026
Name of Post: Agricultural Assistant Gr. II, Department: Land Use Department, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: 2 (Two)

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

CATEGORY No. 08/2026
Name of Post: Computer Assistant Grade-II, Department: Government Secretariat/Kerala Public Service Commission/Advocate General's Office (Enakulam)/Kerala State Audit Department/Enquiry Commissioner and Special Judges Office/Vigilance Tribunal Office/Kerala Lok Ayukt, Scale of Pay: ₹ 27,900-63,700/-, Age: 18-40, Vacancy: Anticipated

GENERAL RECRUITMENT - DISTRICT WISE

CATEGORY No. 09/2026
Name of Post: Survey Lassars, Depot and Watch Station, Watership, Plantation Watchers and Maistries, T.B. Watchers and Bungalow Watchers, Timber Supervisors, Tote Wardens, Reserve Watchers, Lana Watchers and Dispensary Attendants, Department: Forest and Wildlife, Scale of Pay: ₹ 23,000-50,200/-, Age: 18-40, Vacancy: (Pathanamthitta, Idukki, Ernakulam, Thiruvananthapuram) - Anticipated Vacancies

CATEGORY No. 09/2026
Name of Post: Assistant Professor (Karyachiksha) (Special Recruitment for Scheduled Tribe only), Department: Ayurveda Medical Education, Scale of Pay: As per UGC norms, Age: 20-50, Vacancy: ST - 1 (One)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

CATEGORY No. 09/2026
Name of Post: Non-Vocational Teacher Chemistry (Senior) (Special Recruitment for ST only), Department: Kerala Vocational Higher Secondary Education, Scale of Pay: ₹ 55,200-1,15,300/-, Age: 20-49, Vacancy: 02 (Two)

(Cat.No.109/2026).

CATEGORY No. 110/2026 - 112/2026.
FIFTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 111/2026 - 113/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 112/2026 - 114/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 113/2026 - 115/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 114/2026 - 116/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 115/2026 - 117/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 116/2026 - 118/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 117/2026 - 119/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 118/2026 - 120/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 119/2026 - 121/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 120/2026 - 122/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 121/2026 - 123/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 122/2026 - 124/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 123/2026 - 125/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 124/2026 - 126/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 125/2026 - 127/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 126/2026 - 128/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 127/2026 - 129/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 128/2026 - 130/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 129/2026 - 131/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 130/2026 - 132/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 131/2026 - 133/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

CATEGORY No. 132/2026 - 134/2026.
FOURTH N.C.A. NOTIFICATION
PART-II (SOCIETY CATEGORY)
Name of Post: Sales Assistant Gr. II, Department: Kerala State Co-operative Coir Marketing Federation Limited (CORFED), Scale of Pay: ₹ 15,100-30,190/-, Age: 18-50, Vacancy: 1 (One)

C

NOTICE

This is to inform the general public that the proposed Quarry Project of Sri. Thomas Varghese, located at Re-Survey No. 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1, Mallappally Village, Mallappally Taluk, Pathanamthitta District, Kerala, has been granted Environmental Clearance (EC) by the State Level Environment Impact Assessment Authority (SEIAA), Kerala, vide Order No. 13/Q/2025 dated 19-02-2025.

A copy of the Environmental Clearance is available on the websites of the Ministry of Environment, Forest and Climate Change (MoEFCC) and the State Level Environment Impact Assessment Authority, Kerala, at www.seiaakerala.in.

Powered by: erelego.com

നോട്ടീസ്

കേരള സംസ്ഥാനത്തിലെ പത്തനംതിട്ട ജില്ലയിലെ മല്ലപ്പള്ളി താലൂക്കിൽ മല്ലപ്പള്ളി വില്ലേജിൽ റിസർവ്വേ നമ്പർ 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1 ൽ പാറ ഖനനം ചെയ്യുന്നതിനുള്ള പരിസ്ഥിതി അനുമതി ശ്രീ. തോമസ് വർഗീസ്, പുളിമ്പള്ളിൽ ഹൗസ്, കടപ്പ-689621, നിരണം, പത്തനംതിട്ട എന്ന വ്യക്തിക്ക് കേരള സ്റ്റേറ്റ് ലേവൽ എൻവയറോൺമെന്റ് ഇംപാക്ട് അസസ്മെന്റ് അതോറിറ്റിയിൽ നിന്നും EC. ഓർഡർ നമ്പർ 13/Q/2025 dated 19-02-2025 പ്രകാരം ലഭിച്ചിട്ടുണ്ടെന്ന് പൊതുജനങ്ങളെ അറിയിക്കുന്നു. ഈ ഓർഡറിന്റെ പകർപ്പ് പരിസ്ഥിതി കാലാവസ്ഥ വ്യതിയാന വകുപ്പിന്റെ വെബ്സൈറ്റിൽ നിന്നും കേരള സ്റ്റേറ്റ് ലേവൽ എൻവയറോൺമെന്റ് ഇംപാക്ട് അസസ്മെന്റ് അതോറിറ്റിയുടെ www.seiaakerala.in എന്ന വെബ്സൈറ്റിൽ നിന്നും ലഭ്യമാണ്.

TEST REPORT

ULR No: TC1293926000023052F		
LRI No: SEAAL26081858A	Date: 24-08-2026	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Thomas Vargheese Pulimpallil, Niranam P O, Thiruvalla, Mallappally, Pathanamthitta District.
Customer Reference	Test Request date: 19-08-2026

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN26080684
Sample Name	Ambient Air	Sample Received on	20-08-2026
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	21-08-2026
Sampled by	Lab Authorized Sampler	Test Completed on	24-08-2026

DETAILS OF SAMPLING			
Sampling Location	Project Site	Date of Sampling	19-08-2026
Sampling Procedure	SEAAL/CHL /SOP/7.3/02	Humidity	73 %

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	Block No.28, 496/2, 496/2-1, 496/3, 496/4, 496/14,497/4-1-1		
Village	Mallappally	Taluk	Mallappally
District	Pathanamthitta	State	Kerala

TEST RESULTS - CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	52.9	100 (Max)
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	24.8	60 (Max)
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2/Sec-1): 2023	µg/m ³	4.26	80 (Max)
4	Nitrogen Dioxide as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	5.34	80 (Max)

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory. Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laborato

TEST REPORT

ULR No: TC1293926000023053F		
LRI No: SEAAL26081859A	Date: 24-08-2026	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Thomas Vargheese Pulimpallil, Niranam P O, Thiruvalla, Mallappally, Pathanamthitta District.
Customer Reference	Test Request date: 19-08-2026

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN26080685
Sample Name	Ambient Noise	Monitoring Commenced on	19-08-2026
Monitoring Location	Near East Side	Monitoring Completed on	20-08-2026
Test Method	IS 9989:1981	Sampled by	Lab Authorized Sampler

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	Block No.28, 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1		
Village	Mallappally	Village	Mallappally
District	Pathanamthitta	District	Kerala

MONITORING RESULTS-Leg					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	39.4	14:00	52.8	22:00	41.7
07:00	42.2	15:00	53.2	23:00	40.5
08:00	46.7	16:00	54.4	24:00	42.1
09:00	50.3	17:00	54.8	01:00	40.1
10:00	52.8	18:00	49.1	02:00	39.7
11:00	56.0	19:00	45.5	03:00	41.3
12:00	53.2	20:00	41.4	04:00	42.1
13:00	52.4	21:00	40.9	05:00	44.1

TEST RESULTS - CHEMICAL DISCIPLINE			
Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	53.4
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	43.1

Remarks:

End of Report


Shency Joy
TM - Chemical
 Checked by


Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
 Accreditation & Certification:

TEST REPORT

LRI No.: SEAAL26081853N	Date: 24-08-2026	Page 1 of 1
-------------------------	------------------	-------------

CUSTOMER DETAILS	
Customer Name & Address	Mr. Thomas Vargheese Pulimpallil, Niranam P O, Thiruvalla, Mallappally, Pathanamthitta District.
Customer Reference	Test Request Date: 19-08-2026

SAMPLE DETAILS			
Product Category	Pollution& Environment	Sample Code	EN26080656
Sample Name	Soil	Sample Received on	20-08-2026
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	20-08-2026
Sample Quantity& Packing	500 g in Polyethene Bag	Test Completed on	24-08-2026
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler

DETAILS OF SAMPLING			
Sample Source	Quarry Site	Date of Sampling	19-08-2026
Sampling Procedure	SEAAL/CHL/SOP/7.3/01	Sample Temperature	31°C

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Survey No.	Block No.28, 496/2, 496/2-1, 496/3, 496/4, 496/14,497/4-1-1		
Village	Mallappally	Taluk	Mallappally
District	Pathanamthitta	State	Kerala

TEST RESULTS- CHEMICAL DISCIPLINE				
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT
1	Chloride as Cl	SEAAL/CHL/SOP/7.2/16	mg/kg	886
2	Available Potassium	SEAAL/CHL/SOP/7.2/11	meq/100g	60.4

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

Certification: ISO 45001:2018 OHSAS certified laboratory.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293926000023047F

LRI No.: SEAAL26081853A

Date: 24-08-2026

Page 1 of 2

CUSTOMER DETAILS

Customer Name & Address	Mr. Thomas Vargheese Pulimpallil, Niranam P O, Thiruvalla, Mallappally, Pathanamthitta District.
Customer Reference	Test Request Date: 19-08-2026

SAMPLE DETAILS

Product Category	Pollution & Environment	Sample Code	EN26080656
Sample Name	Soil	Sample Received on	20-08-2026
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	20-08-2026
Sample Quantity & Packing	500 g in Polyethene Bag	Test Completed on	24-08-2026
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler

DETAILS OF SAMPLING

Sample Source	Project Site	Date of Sampling	19-08-2026
Sampling Procedure	SEAAL/CHL/SOP/7.3/01	Sample Temperature	31 °C

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS

Survey No.	Block No.28, 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1		
Village	Mallappally	Taluk	Mallappally
District	Pathanamthitta	State	Kerala

TEST RESULTS-CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT
1	pH	IS 2720(Part 26): 1987	---	6.08
2	Conductivity	IS 14767: 2000	µS/cm	110
3	Water Holding Capacity	SEAAL/CHL/SOP/7.2/24	%	60.4



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory. Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293926000023047F

LRI No.: SEAAL26081853A

Date: 24-08-2026

Page 2 of 2

TEST RESULTS-CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS		TEST METHOD	UNIT	RESULT
4	Particle Size Distribution	Clay	SEAAL/CHL/SOP/7.2/21	%	40.0
		Sand	SEAAL/CHL/SOP/7.2/21	%	50.5
		Silt	SEAAL/CHL/SOP/7.2/21	%	9.50
5	Organic Matter		IS 2720 (Part 22):1972	%	0.37
6	Sodium as Na		IS 9497: 1980	mg/kg	1092
7	Sulphur		SEAAL/CHL/SOP/7.2/23	mg/kg	24.5
8	Total Kjeldahl Nitrogen as N		IS 14684 :1999	%	0.30
9	Total Phosphorous as P		SEAAL/CHL/SOP/7.2/12	mg/kg	1200

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

Cert No. MR

/SCZ/ 0996



सत्यमेव जयते

भारत सरकार/Government of India

खान अधिनियम, 1952/Mines Act, 1952

खनन परीक्षा बोर्ड/Board of Mining Examinations

खनन मेट सक्षमता प्रमाण-पत्र

MINING MATE'S CERTIFICATE OF COMPETENCY

(केवल ओपेनकास्ट खानों तक सीमित)

(Restricted to mines having opencast workings only)

(धात्विकीय खान विनियम, 1961 के अन्तर्गत)

(Under the Metalliferous Mines Regulations, 1961)

कन्हैया कुमार

रामायन चौधरी

श्री जिनकी जन्म तिथि 06-02-1991

सुपुत्र

है, को अपनी

आयु, स्वस्थता, सदाचार, साक्षरता और धात्विकीय खानों में काम करने के विहित अनुभव का सन्तोषजनक प्रमाण प्रस्तुत करने एवं दिनांक 24-03-2018 को जी वी टी सी, कालिचेडु केन्द्र पर आयोजित विहित परीक्षा में उत्तीर्ण होने पर एतद्वारा केवल ओपेनकास्ट खानों तक सीमित मेट सक्षमता प्रमाण-पत्र प्रदान किया जाता है।

Shri KANHAIYA KUMAR

son of

RAMAYAN CHOUDHARY

born on 06 February 1991

having given satisfactory evidence of his age,

medical fitness, good character, literacy and prescribed experience of working in metalliferous mines and having passed the prescribed examination held at GVTC, Kalichedu

centre on 24-03-2018 is hereby granted MINING MATE'S CERTIFICATE OF COMPETENCY restricted to mines having opencast workings only.

बाएं हाथ के अंगूठे का निशान
Left hand thumb impression



अंचल सचिव

अध्यक्ष

खनन परीक्षा बोर्ड

खनन परीक्षा बोर्ड

Zonal Secretary
Board of Mining
Examinations

Chairman
Board of Mining
Examinations

Signed and Sealed

Date 08-08-2018